

September 27, 2016

Attention: Catherine Diplock
PRESSURE VESSEL ENGINEERING INC
120 RANDALL DRIVE SUITE B
WATERLOO, ON N2V 1C6

Email: cmd@pveng.com

The design submission, tracking number 2016-04849, originally received on September 09, 2016 was surveyed and accepted for registration as follows:

CRN : 0F17398.52

Accepted on: September 27, 2016

Reg Type: New Design

Expiry Date: August 29, 2026

Drawing No. : 8096-LC-0.0 Rev 2 As Noted

Fitting type: LEVEL CHAMBER

Design registered in the name of : JOGLER LLC

Description

MAWP

Design Temperature

see tables 6

The registration is conditional on your compliance with the following notes:

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.

This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.

Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

Acceptance is based on the understanding that the corrosion allowance is equal zero, threaded length shall be minimum per B1.20.1, dimension "D" will be ignored for female socked weld (DWG 8096-LC-1.1 Rev.1), RFWN types of the flanges with class 1500# shall be for 3" and 4" instead RFSO, and all flanges fully comply with B16.5

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3335 or fax (780) 437-7787 or e-mail dedovic@absa.ca.

Sincerely,



DEDOVIC, BLAZO

PRESSURE VESSEL ENGINEERING
120 RANDALL DRIVE
WATERLOO ON N2V 1C6

Date: October 19, 2016
Account #: 45363
Journal #: 66625
Our File #: 5606005

Attn: CATHERINE DIPLOCK

Re: Application for Design Registration

The design, as detailed in your, PVE-8096, for a Fitting is accepted for registration as follows:

Registered To: JOGLER, LLC

CRN: 0F17398.51

Drawing #: 8096-LC-0.0 Shts 1 to 30

Drawing Revision: 2

Conditions Of Registration:

Revision registration of a Level Chamber.

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

Reviewer's Notes:

As required by CSA B51 4.2.1, this registration expires on August 29, 2026. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

KURTIS MCLELLAND
(778) 396-2077
Kurtis.McLelland@safetyauthority.ca
Design Administration

cc:

Montréal, 16 décembre 2016.

MRS. CATHERINE DIPLOCK
PRESSURE VESSEL ENGINEERING LTD
120 RANDALL DR., SUITE B
WATERLOO ONTARIO
CANADA N2V 1C6

Manufacturer : JOGLER LLC
6646 COMPLEX DRIVE
BATON ROUGE LA
USA 70809

OUR REFERENCE : 955799

Design number : 8096-LC-0.0 R.2 SHEET 1 TO 30, 8096-LC-1.1 R.1
PVE-8096

Subject: Registration of designs - Confirmation of approval

Dear Madam,

The Régie du bâtiment du Québec (RBQ) informs you that your application for the registration of designs has been evaluated and that the design was registered the 07-12-2016 under the Canadian Registration Number (CRN\NEC) : **0F17398.56**.

We bring your attention to certain requirements of the regulation respecting pressure vessels, and the codes and standards adopted :

- The manufacturer must maintain a valid quality control program to produce according to the CRN.
- The manufacturer shall submit to the RBQ a copy of Manufacturer's Data Report for equipment manufactured according to this CRN within 30 days following the signing of this Declaration.
- The drawing number, including the revision number registered under this CRN, must be indicated on the Manufacturer's Data Report for equipment manufactured according to the CRN.

This notice of approval does not relieve the constructor of his responsibilities with respect to the design or construction of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression

Montréal

545, boul. Crémazie Est, 7ième étage
Montréal (Québec) H2M 2V2
Téléphone : 514 873-6459
Sans frais : 1 866 262-2084
www.rbq.gouv.qc.ca

REGISTRATION OF A PRESSURE FITTING DESIGN

27-Oct-16

Pressure Vessel Engineering
120 Randall Drive, Suite B
Waterloo, Ontario
N2V 1C6

Attention: Catherine Diplock

File Number: 10287 [0 F]

Re: Manufacturer: Jogler, LLC
Item: Level Chamber
Catalog or Drawing: 8096-LC-0.0 Sheets 1-30 Rev. 2

TSASK Codes and Standards Compliance has registered the design listed above in accordance with The Boiler and Pressure Vessel Act and Regulations and CSA B51. The Canadian Registration Number (CRN) is:

OF17398.53 Expiry Date: August 29, 2026

Please note that every fitting shall be constructed in strict accordance with the registered design.

Fitting registrations are required to be resubmitted for validation after ten (10) years from the registration date in accordance with CSA B51, Clause 4.2.1.

Should you require anything further, please do not hesitate to contact the Codes and Standards Compliance Office at your convenience.

Yours truly,



Athan Syrgiannis, Engineer-in-Training
Codes and Standards Compliance

Remarks:

CRN registered under reciprocal agreement.

Statutory Declaration (Registration of Filings)

TSK-1008

I. Declaration Information

I, Tyler Harper
Manager
(company title, e.g. vice president, plant manager, chief engineer)
(must be in a position of authority in the manufacturing plant where the fitting is produced)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



of: Jogler LLC
(name of manufacturer)

located at: 6646 Complex Drive, Baton Rouge, LA, 70809
(Plant Address - Apt/Street) (City/Prov) (Postal Code)

do solemnly declare that the fittings listed hereinunder, which are subject to the **Saskatchewan Boiler and Pressure Vessel Safety Act** (check one)

- ☐ Comply with the requirements of _____ which specifies the dimensions,
(title of recognized North American Standard)
Materials of construction, pressure / temperature ratings and identification marking of the fittings, or
- ☒ Are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with ASME B31.3 2014 Ed. as supported by the attached data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacturer of these fittings is controlled by a quality control program which has been verified by the following authority, CSA as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Level Chamber

In support of this application, the following information, calculations and / or test data are attached:

DRAWINGS: 8096-LC-0.0, 8096-LC-1.0, CALCULATIONS: PVEcl-8096.0-Level Gauge, PVEcl-8096.2-Level Gauge, PVEcl-8096.2-Head Calculations

II. Declaration

DECLARED before me at BATON ROUGE In the STATE of LOUISIANA
this 31st day of August, 2016
Loren McDaniel #142817 (print name) Tyler W Harper (Signature)
Loren McDaniel (Signature of Commissioner of Oaths)



III. Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the **Boiler and Pressure Vessel Safety Act** CSA B51, Clause 4.2, and is accepted for registration in Category _____

(Registration Number)


**Technical Safety Authority
of Saskatchewan
Boiler & P.V. Safety Unit**

(Date Registered - MM DD YYYY)
(For the Administrator / Chief Inspector)

(Expiry Date - MM DD YYYY)

CRN OF 17398.53
File 10287
REGISTERED
Date Oct. 27, 2016
Design Survey Office





Closure Configuration Options



Technical Safety Authority
of Saskatchewan
Boiler & P.V. Safety Unit

CRN OF17398.53
File 10287
REGISTERED
Date Oct. 27, 2016

Design Survey Office



NOTES:

1. There are two styles of branch connection used. A set on branch or an extruded outlet.
2. Branch connection types can be independent of each other. (One can be extruded while the other is set on)
3. See notes on page 3 for Welded Branch allowable header and branch sizing combinations and see notes on page 25 for Extruded Branch combinations.
4. Flange sizes limited to mating header size and below unless concentric reducer is used. Header flange governs system pressure. Δ
5. Flanges on non-extruded outlet configurations are limited to 1500# and below
6. All Butt weld fittings conform to B16.9
7. Round all internal edges to ensure smooth float movement
8. Header pipes can be extended by attaching an additional length of pipe via a circ. seam weld. Internal volume is limited to 1.5 cu.ft. and below. See Table 2 for maximum lengths
9. Coupling cannot intersect weld seams
10. Item 5. Couplings and O-lets are limited to 2" or smaller (3000# or 6000#) and conform to B16.11 Δ
11. Holes for couplings in header are equal to equivalent branch pipe size OD or smaller. (2" NPS coupling = 2.375" hole max)
12. If the Level Chamber is to be used for lethal service, 100% RT is required

Revision				
Rev.	Revision History	Date	Drw.	Chk.
0	Release	2014/08/04	MT	GG
1	Amendments for ABSA	2014/10/29	MT	BEM
2	Amendments for TSSA	2015/11/23	MT	BEM

Design Data	
Code	Design Code: ASME B31.3 2014 Edition
	Lethal Service: <input type="checkbox"/> No <input type="checkbox"/> Yes
	Wind Code: N/A
Design Conditions	MAWP: See Table 6
	MAEWP: -
	MDMT: See Table 3
	Corrosion Allowance: 0 in
Examination	Impact Testing: 323.2.2
	Radiography: <input type="checkbox"/> None <input type="checkbox"/> 5% <input type="checkbox"/> 100%
	PWHT: None
	Hydro Test: See Table 6

Level Chamber

SIZE DWG. NO. REV
D 8096-LC-0.0 2

SCALE: 1:1 SHEET 1 OF 30



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

August 29, 2016

CATHERINE DIPLOCK
PRESSURE VESSEL ENGINEERING LTD.
120 RANDALL DR SUITE B
WATERLOO ON N2V 1C6
CA

Service Request Type: BPV-Fitting Registration
Service Request No.: 1715606
Your Reference No.: PVE-8096
Registered to: JOGLER LLC

Dear CATHERINE DIPLOCK,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0F17398.5R1
Main Design No.: 8096-LC-0.0 SHT 1 TO 30 REV 2
Expiry Date: 29-Aug-2026

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Wendy Du, P.Eng.
Technical Standards & Safety Authority
Boilers & Pressure Vessels Safety Program
Tel.: 416-734-3566
Fax: 416-231-6183
Email: wdu@tssa.org

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Jogler LLC

MANUFACTURERS ADDRESS: 6646 Complex Drive, Baton Rouge, LA, 70809

PLANT LOCATIONS:

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.3 2014 Ed.

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED ☒ WELDED ☒ WROUGHT ☐
 CAST ☒ OTHER ☐
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

DRAWINGS: 8096-LC-0.0, 8096-LC-1.0, CALCULATIONS: PVEcl-8096.0-Level Gauge, PVEcl-8096.2-Level Gauge, PVEcl-8096.2-Head Calculations
 Level Chamber

DECLARATION:

I, Tyler Harper (see note 3) employed by Jogler LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by CSA as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Tyler W Harper

Declared before me at BATON ROUGE

This 31st day of August AD 2016

Commissioner of Oaths

or Notary Public: (sign) Loren McDaniell

USE THIS SPACE FOR

OFFICIAL SEAL

NOTARY ID # 142817

STATE OF LOUISIANA

PARISH OF EAST FELICIANA

My Commission is for Life

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OF17398.5 REV1

FID#: 15092

REGISTRATION ONLY

CRN OF17398.57 Rev1

EXAMINER: Loren McDaniell

CHIEF BOILER INSPECTOR

DATE: 10/28/2016



BLRs



Sect. 1 PVS fittings Rev. 1 06/2003



FITTINGS



COMPONENTS

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Jogler LLC	
MANUFACTURERS ADDRESS: 6646 Complex Drive, Baton Rouge, LA, 70809	
PLANT LOCATIONS:	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3 2014 Ed.
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: DRAWINGS: 8096-LC-0.0, 8096-LC-1.0, CALCULATIONS: PVEcl-8096.0-Level Gauge, PVEcl-8096.1-Level Gauge, PVEcl-8096.2-Head Calculations Level Chamber	

DECLARATION:

I, Tyler W. Harper (see note 2) employed by Jogler LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by CSA as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Tyler W. Harper

Declared before me at EAST BATON ROUGE

This 31st day of August AD 2016

Commissioner of Oaths or Notary Public: (sign) Loren McDaniel

USE THIS



This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>OF17398.5 REV1</u> FID#: <u>15092</u> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	This space for Regulatory Authority use Newfoundland Labrador Service NL Registered <u>OF17398.50 Rev.1</u> Date <u>16/10/18</u> Engineering and Inspection Services Registered by <u>[Signature]</u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS
---	--


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Jogler LLC</u>	
MANUFACTURERS ADDRESS: <u>6646 Complex Drive, Baton Rouge, LA, 70809</u>	
PLANT LOCATIONS:	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B31.3 2014 Ed.</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p></p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>DRAWINGS: 8096-LC-0.0, 8096-LC-1.0, CALCULATIONS: PVEcl-8096.0-Level Gauge, PVEcl-8096.2-Level Gauge, PVEcl-8096.2-Head Calculations Level Chamber</p>	

DECLARATION:

I, Tyler W. Harper (see note 3) employed by Jogler LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by CSA as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Tyler W. Harper

Declared before me at EAST BATON ROUGE

This 31st day of August AD 2016

Commissioner of Oaths or Notary Public: (sign) Loren M. McDaniel

USE THIS
OF



<p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0F17398.5 REV1</u></p> <p>FID#: <u>15092</u></p> <p>Notes:</p> <ol style="list-style-type: none"> 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	<p>Northwest Territories REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.R.N. <u>0F17398.5 Rev</u> SIGNED <u>[Signature]</u> DATE <u>Oct 28/2016</u> Rev. 1 06/2003</p>
---	---


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Jogler LLC	
MANUFACTURERS ADDRESS: 6646 Complex Drive, Baton Rouge, LA, 70809	
PLANT LOCATIONS:	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3 2014 Ed.
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: DRAWINGS: 8096-LC-0.0, 8096-LC-1.0, CALCULATIONS: PVElc-8096.0-Level Gauge, PVElc-8096.2-Level Gauge, PVElc-8096.2-Head Calculations Level Chamber	

DECLARATION:

I, Tyler W. Harper (see note 3) employed by Jogler LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by CSA as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Tyler W. Harper

Declared before me at EAST BATON ROUGE

This 31st day of August AD 2016

Commissioner of Oaths or Notary Public: (sign) Loren McDaniel

USE THIS OFFICIAL SEAL



This space for Regulatory Authority use


This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OF17398.5 REV1

FID#: 15092

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


 Date Oct. 28/16
 CRN. OF17398.58 REV1
 Dwg. as described
 Signed Yvonne Perry
1 of 1
 Part
 ACT & REGULATIONS

Sect. 1.0 - Fittings Rev. 1 06/2003


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON


PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Jogler LLC</u>	
MANUFACTURERS ADDRESS: <u>6646 Complex Drive, Baton Rouge, LA, 70809</u>	
PLANT LOCATIONS:	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3 2014 Ed.
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: DRAWINGS: 8096-LC-0.0, 8096-LC-1.0, CALCULATIONS: PVEcl-8096.0-Level Gauge, PVEcl-8096.2-Level Gauge, PVEcl-8096.2-Head Calculations Level Chamber	

DECLARATION:
 I, Tyler Harper (see note 3) employed by Jogler LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by CSA as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Tyler W Harper
 Declared before me at EAST BATON ROUGE
 This 31st day of August AD 2016
 Commissioner of Oaths or Notary Public: (sign) Loren McDaniel



This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>OF17398.5 REV1</u> FID#: <u>15092</u> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	This space for Regulatory Authority Use Nunavut Boilers and Pressure Vessels Act REGISTERED CRN <u>OF17398.5 NRev1</u> Date <u>Oct 28, 2016</u> Signed <u>[Signature]</u> Chief Inspector Sect. 1.0 - Fittings Rev. 1 06/2003 Territorial Registration Fee
--	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUTNOVA SCOTIA
YUKONPRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Jogler LLC

MANUFACTURERS ADDRESS: 6646 Complex Drive, Baton Rouge, LA, 70809

PLANT LOCATIONS:

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐. (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.3 2014 Ed.

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED ☐ WELDED ☐ WROUGHT ☐
 CAST ☐ OTHER ☐
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:


DRAWINGS: 8096-LC-0.0, 8096-LC-1.0, CALCULATIONS: PVElc-8096.0-Level Gauge, PVElc-8096.2-Level Gauge, PVElc-8096.2-Head Calculations
 Level Chamber

DECLARATION:

I, Tyler W. Hayer (see note 3) employed by Jogler LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by CSA as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Tyler W. HayerDeclared before me at BASTROP TRAILERThis 31st day of August AD 2016Commissioner of Oaths Loren McDanielor Notary Public: (sign) Loren McDaniel #142817

USE THIS



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OF17398.5 REV1FID#: 15092

ACCEPTED

PROVINCE OF PRINCE EDWARD ISLAND
COMMUNITIES, LAND & ENVIRONMENTC.R.N. OF17398.5A RevDATE: OCT 28 16

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSELS BRANCH

Revisions Rev. 1 06/2003


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Jogler LLC	
MANUFACTURERS ADDRESS: 6646 Complex Drive, Baton Rouge, LA, 70809	
PLANT LOCATIONS:	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3 2014 Ed.
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input checked="" type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: DRAWINGS: 8096-LC-0.0, 8096-LC-1.0, CALCULATIONS: PVEcl-8096.0-Level Gauge, PVEcl-8096.2-Level Gauge, PVEcl-8096.2-Head Calculations Level Chamber	

DECLARATION:
 I, Tyler Harper (see note 3) employed by Jogler LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by CSA as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Tyler W Harper

Declared before me at EAST BATON ROUGE

This 31st day of August AD 2016

Commissioner of Oaths or Notary Public: (sign) Loren McDaniel

USE THIS SPACE FOR REGULATORY AUTHORITY USE



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F17398.5 REV1

FID#: 15092

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

